



**Aalborg Universitet**

**AALBORG UNIVERSITY**  
DENMARK

## **Fracture and Deformation Behavior of Melt-Quenched ZIF Glasses**

Stepniewska, Malwina; Zhou, Chao; Yue, Yuanzheng

*Publication date:*  
2017

*Document Version*  
Publisher's PDF, also known as Version of record

[Link to publication from Aalborg University](#)

*Citation for published version (APA):*

Stepniewska, M., Zhou, C., & Yue, Y. (2017). *Fracture and Deformation Behavior of Melt-Quenched ZIF Glasses*. Abstract from 7th International Workshop on Flow and Fracture of Advanced Glasses, Aalborg, Denmark.

### **General rights**

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- ? Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- ? You may not further distribute the material or use it for any profit-making activity or commercial gain
- ? You may freely distribute the URL identifying the publication in the public portal ?

### **Take down policy**

If you believe that this document breaches copyright please contact us at [vbn@aub.aau.dk](mailto:vbn@aub.aau.dk) providing details, and we will remove access to the work immediately and investigate your claim.



Aalborg Universitet

**AALBORG UNIVERSITY**  
DENMARK

## **Fracture and Deformation Behavior of Melt-Quenched ZIF Glasses**

Stepniewska, Malwina; Zhou, Chao; Yue, Yuanzheng

*Publication date:*  
2017

[Link to publication from Aalborg University](#)

### *Citation for published version (APA):*

Stepniewska, M., Zhou, C., & Yue, Y. (2017). Fracture and Deformation Behavior of Melt-Quenched ZIF Glasses. Abstract from 7th International Workshop on Flow and Fracture of Advanced Glasses, Aalborg, Denmark.

### **General rights**

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- ? Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- ? You may not further distribute the material or use it for any profit-making activity or commercial gain
- ? You may freely distribute the URL identifying the publication in the public portal ?

### **Take down policy**

If you believe that this document breaches copyright please contact us at [vbn@aub.aau.dk](mailto:vbn@aub.aau.dk) providing details, and we will remove access to the work immediately and investigate your claim.

## Fracture and Deformation Behavior of Melt-Quenched ZIF Glasses

Malwina Stepniewska\*, Chao Zhou, Yuanzheng Yue

*Department of Chemistry and Bioscience, Aalborg University, DK-9220 Aalborg, Denmark*

\*Corresponding author. E-mail: [mst@bio.aau.dk](mailto:mst@bio.aau.dk)

Due to their notable properties and a vast range of possible application, Zeolitic Imidazole Frameworks (ZIFs) have been lately attracting a lot of attention. Recently discovered melt-quenched ZIF (MQ-ZIF) glasses as a new group of amorphous materials show a number of desirable properties, such as high thermal and chemical stability [1-3]. However, up to now, no systematised studies concerning mechanical properties and fracture behaviour have been performed on these glasses. Such studies are particularly crucial for future applications in any load bearing systems, especially those at risk of sudden cracking.

In this study, we focus on the fracture behaviour of ZIF-62, built of zinc ions connected by two types of organic ligands (namely, imidazole – Im, and benzimidazole - bIm). Two groups of samples – changing content of only one of the ligand for given group - have been prepared. By changing the ratio of ligands in the structure during synthesis, we obtained initial results showing an influence of chemical composition on material – both for the crystals formed during synthesis and the following melt-quenched glasses. Considering the different size of bIm and Im molecules, chemical composition is expected to greatly influence the structure, and hence, mechanical properties. By measuring the hardness and observing the cracking patterns of ZIF-62 glasses, we attempt to understand the structural impact on mechanical properties of ZIF-62 glasses. Initial results show a clear effect of chemical composition on the fracture behaviour and crack patterns of the samples. We observe the crack formation during indentation by using scanning electron microscopy and describe the influence of chemical composition on crack initiation and propagation. Carrying out the measurements with different loads for chosen samples also enables us to describe the scale effect visible for hardness in MQ-ZIF. In addition to that, we undertake first trials of quantifying different deformation mechanisms for indentation (densification, elastic deformation, plastic flow) with the use of atomic force microscopy. We perform structural characterisation of the ZIF-62 by nuclear magnetic resonance (NMR) and infrared spectroscopy, and find the structural origin of chemistry dependence of fracture behaviour. Finally, we also compare the fracture behaviour of MOF glasses with that of other types of glasses such as oxide glasses and metallic glasses.

### References:

- [1] Bennett, T. D.; Tan, J.-C.; Yue, Y.; Baxter, E.; Ducati, C.; Terrill, N. J.; Yeung, H. H.-M.; Zhou, Z.; Chen, W.; Henke, S.; et al. Hybrid Glasses from Strong and Fragile Metal-Organic Framework Liquids, *Nat. Commun.* 2015, 6, 8079.
- [2] Bennett, T. D.; Yue, Y.; Li, P.; Qiao, A.; Tao, H.; Greaves, G. N.; Richards, T.; Lampronti, G. I.; Redfern, S. A. T.; Blanc, F.; et al., Melt-quenched glasses of metal-organic frameworks, *J. Am. Chem. Soc.* 2016, 138 (10), 3484–349.
- [3] Tao, H. Z.; Bennett, T. D.; Yue, Y. Z., Melt-Quenched Hybrid Glasses from Metal-organic Frameworks, *Adv. Mater.* 2017, DOI: 10.1002/adma.201601705.